

# **Fluoropolymer NEOFLON EFEP RP-4020**

## **TECHNICAL** DATASHEET

NEOFLON EFEP RP4020 is a fluoropolymer that has chemical resistance and the capability to adhere to the other materials.

#### Introduction

- NEOFLON EFEP RP-4020 which owns low melting point is a copolymer of ETFE and additional third monomer.
- Due to its low melting point, a laminated product such as a multi-layer tube and film with EVOH can be obtained by co-extrusion molding.
- Hot melt adhesion to the other plastics such as Polyamide with its reactive group.
- Excellent process ability and high transparency.
- It can be melt-molded as a thermoplastic resin by extrusion molding, injection molding, compression molding and the like.

Item	Unit	Value	Test Method
MFR	g/10min	40	ASTM D 7472 Compliant
Melting Point	°C	160	ASTM D 7472 Compliant
Specific Gravity	-	1.74	ASTM D 7472 Compliant
Tensile Strength	MPa	40	ASTM D 7472 Compliant
Elongation	%	450	ASTM D 7472 Compliant

#### General physical properties

\* The above values are representative values, not guaranteed values.

### Handling method / Safety information

- Be sure to read the notes on SDS and labels before use.
- This product is intended for general industry, and therefore its adequacy and safety as a raw material for medical purposes cannot be guaranteed.

#### **Packing specification**

- 25Kg

For more information, visit our website.

DAIKIN INDUSTRIES, LTD.

https://www.daikinchemicals.com/