

Printing date 09.03.2023 Version number 1 Revision: 09.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: <u>DAI-EL G-716</u> Article number: G716 STD

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Sector of Use SU8 Manufacture of bulk, large scale chemicals (including petroleum products)

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

OSAKA UMEDA TWIN TOWERS SOUTH, 1-13-1 Umeda, Kita-ku, Osaka-shi, Osaka, 530-0001, Japan

Phone: +81-6-6147-9702 Fax: +81-6-6147-9807

Further information obtainable from: http://www.daikin.com/

1.4 Emergency telephone number:

Japan: +81-6-6349-7521

China: +86-532-8388-9090, +86-21-34151689

South Korea: +82-2-568-1722

Americas: CHEMTREC +1-800-424-9300 (Outside US/Canada: +1-703-527-3887)

Europe: +49-211-179 225-0

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008: Not applicable

Signal word: Not applicable

## SECTION 3: Composition/information on ingredients

## Information on ingredients:

CAS: 9011-17-0 Vinylidene fluoride-hexafluoropropylene copolymer

CAS: 1478-61-1 Bisphenol AF

Acute Tox. 3, H301; Acute Tox. 2, H330 Repr. 1B, H360; STOT RE 1, H372

Eye Dam. 1, H318

Aquatic Acute 1, H400; Aquatic Chronic 1, H410

STOT SE 3, H335

CAS: 1100-88-5 benzyltriphenylphosphonium chloride

Acute Tox. 2, H300; Acute Tox. 2, H330

STOT RE 1, H372 Eye Dam. 1, H318

Aquatic Acute 1, H400; Aquatic Chronic 1, H410

STOT SE 3, H335

Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: Seek medical treatment.

After inhalation: In case of inhaling decomposed gases: supply fresh air and consult a doctor in case of complaints. After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After contact with the molten product, cool rapidly with cold water.

Do not pull solidified product off the skin.

Immediately rinse with warm water and soap.

Consult a doctor in case of complaints.



Printing date 09.03.2023 Version number 1 Revision: 09.03.2023

Trade name: DAI-EL G-716

### After eye contact:

Rinse opened eye for several minutes under running water.

Consult an ophthalmologist in case of complaints.

After swallowing: If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and chronic: No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## SECTION 5: Firefighting measures

## 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.

For safety reasons unsuitable extinguishing agents: No further information available.

5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters:

### Protective equipment:

Wear self-contained breathing apparatus and protective suit.

Do not inhale explosion gases or combustion gases.

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation before entering the area.

Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

Do not swallow the product.

- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

#### 6.4 Reference to other sections:

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Extractors are required on all machines used for thermal processing or powder handling processes.

Do not handle until all safety precautions have been read and understood.

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities:

Storage

Requirements to be met by storerooms and receptacles: Store in a cool and dry location.

Information about storage in one common storage facility:

See section 10 for information on incompatible materials.

### Further information about storage conditions:

Protect from heat and direct sunlight.

Store containers in a well ventilated area.

7.3 Specific end use(s): No further relevant information available.

# SECTION 8: Exposure controls/personal protection

#### **8.1 Control parameters** No further information available.

## Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.



Printing date 09.03.2023 Version number 1 Revision: 09.03.2023

Trade name: DAI-EL G-716

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not eat or drink while working. Keep away from tobacco products.

Respiratory protection: Dust respirator, simplified dust respirator

Hand protection



Material of gloves: Rubber

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



**Body protection:** Protective work clothing

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

**General Information** 

Physical stateSolidColour:WhitishOdour:OdourlessOdour threshold:Not determined.Melting point/freezing point:Undetermined.Boiling point or initial boiling point and boiling rangeUndetermined.FlammabilityNot determined.

Lower and upper explosion limit

Lower explosive limit: No further information available.

Upper explosive limit:Not determined.Flash point:Not applicable.Decomposition temperature:Not determined.pHNot determined.

Viscosity:

Kinematic viscosity
Not applicable.

Not applicable.

Solubility

water: Insoluble.
Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure: No further information available.

Density and/or relative density

Density:Not determined.Relative densityNot determined.Vapour densityNot applicable.

**Particle characteristics**No further information available.

9.2 Other information:

Form: Solid material

Auto-ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

**Evaporation rate** Not applicable.

Information with regard to physical hazard classes

*Explosives* Not applicable



Printing date 09.03.2023 Version number 1 Revision: 09.03.2023

Trade name: DAI-EL G-716

Not applicable Flammable gases Not applicable Aerosols Not applicable Oxidising gases Not applicable Gases under pressure Not applicable Flammable liquids Not applicable Flammable solids Self-reactive substances and mixtures *Not applicable* Pyrophoric liquids *Not applicable* Not applicable Pyrophoric solids Self-heating substances and mixtures Not applicable

Substances and mixtures, which emit flammable gases

in contact with waterNot applicableOxidising liquidsNot applicableOxidising solidsNot applicableOrganic peroxidesNot applicableCorrosive to metalsNot applicableDesensitised explosivesNot applicable

## SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

10.3 Possibility of hazardous reactions: No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid: Keep away from heat, sparks, flame, high temperature.

10.5 Incompatible materials:

Metal powder (e.g. Al, Mg) and fluorine oxidizer. There is a danger of chemical reactions that could cause fire or explosion when the product is heated with them.

## 10.6 Hazardous decomposition products:

As for decomposition products, particulate matters and extremely toxic/corrosive fumes may be generated (HF, carbonyl fluoride, monomers, perfluoroisobutylene).

Decomposition products differ depending on the temperature and conditions.

Organic iodine compounds such as methyl iodide may be generated when iodine which becomes a crosslinking point reacts with decomposed products of organic peroxide.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

### CAS: 1478-61-1 Bisphenol AF

Oral LD50 > 2000 mg/kg (Rat) Dermal LD50 > 2000 mg/kg (Rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure

### CAS: 1478-61-1 Bisphenol AF

Oral NOAEL 30 mg/kg bw/d (Rat)

Aspiration hazard Based on available data, the classification criteria are not met.

Other information (about experimental toxicology): No further information available.

Subacute to chronic toxicity No further information available.



Printing date 09.03.2023 Version number 1 Revision: 09.03.2023

Trade name: DAI-EL G-716

#### Additional toxicological information:

General effects:

Fumes generated during burning may cause "polymer fume fever" (flu-like symptoms such as fever, chill, cough).

This may last for a whole day and night.

Fumes are not absorbed in skin. No sensitizing effect known.

Effects of hydrogen fluoride:

Low concentration of hydrogen fluoride may cause feeling of dyspnea, cough, irritation in eyes, nose, throat, fever, chill for 1-2 days.

After that, dyspnea, cyanosis and pulmonary edema may be seen.

High concentration of hydrogen fluoride damages liver and kidney.

Effects of carbonyl fluoride: Skin: Irritation or eruption Eye: Ulcer in cornea, conjunctiva Respiratory system: Irritation

Lung: Temporary symptoms such as cough, pain, dyspnea

Persons who have experienced lung diseases are vulnerable to toxicity caused by excessive exposure to pyrolysis

products

11.2 Information on other hazards Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: The product is thought to be non-biodegradable.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** No further relevant information available.

vPvB: No further information available.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects: Ecotoxical effects: no data Remark: Toxic for fish

Additional ecological information:

General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

#### Recommendation:

Landfill disposal is recommended.

In case of incineration, the temperature must be higher than 800  $^{\circ}$ C.

Treat exhaust gas such as HF in a suitable way.

Disposal must be made according to official regulations.

#### Uncleaned packaging

**Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA

UN3077



Printing date 09.03.2023 Version number 1 Revision: 09.03.2023

Trade name: DAI-EL G-716

14.2 UN proper shipping name:

ADR, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Bisphenol AF, benzyltriphenylphosphonium chloride) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Bisphenol AF, benzyltriphenylphosphonium chloride),

MARINE POLLUTANT

14.3 Transport hazard class(es):

ADR

IMDG:

Class: 9 (M7) Miscellaneous dangerous substances and articles.

Label:

ADN/R Class: Not applicable

IMDG, IATA

Class: 9 Miscellaneous dangerous substances and articles.

Label:

14.4 Packing group:

ADR, IMDG, IATA

14.5 Environmental hazards:

Marine pollutant: Yes

**14.6 Special precautions for user:** Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code): 90
EMS Number: F-A,S-F
Stowage Category A

Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 and

*7.7.3.9*.

14.7 Maritime transport in bulk according to IMO

*instruments* Not applicable.

Transport/Additional information: Avoid direct sunlight. Make sure of no damage, corrosion, leaks

on the receptacles.

Take necessary measures for preventing cargo shift.

ADR

Limited quantities (LQ): 5 kg Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

Transport category: 3
Tunnel restriction code: -

**IMDG** 

Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: EI

> Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

S O L I D , N . O . S . (B I S P H E N O L A F , BENZYLTRIPHENYLPHOSPHONIUM CHLORIDE), 9, III

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

Labelling according to Regulation (EC) No 1272/2008 Not applicable

Hazard pictograms Not applicable Signal word Not applicable

Hazard statements Not applicable

Seveso category E2 Hazardous to the Aquatic Environment

National regulations No further information available.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 09.03.2023 Version number 1 Revision: 09.03.2023

Trade name: DAI-EL G-716

# SECTION 16: Other information

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:** EHS Department

Contact: http://www.daikin.com/ Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

<sup>\*</sup> Data compared to the previous version altered.