

Printing date 23.03.2023 Version number 1 Revision: 23.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: <u>HFC-32</u> Article number: HFC32

EC number: 200-839-4

1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

OSAKA UMEDA TWIN TOWERS SOUTH, 1-13-1 Umeda, Kita-ku, Osaka-shi, Osaka, 530-0001, Japan

Phone: +81-6-6147-9702 Fax: +81-6-6147-9807

Further information obtainable from: http://www.daikin.com/

1.4 Emergency telephone number:

Japan: +81-6-6349-7521

China: +86-532-8388-9090, +86-21-34151689

South Korea: +82-2-568-1722

Americas: CHEMTREC +1-800-424-9300 (Outside US/Canada: +1-703-527-3887)

Europe: +49-211-179 225-0

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Flam. Gas 1B H221 Flammable gas.

Press. Gas (Liq.) H280 Contains gas under pressure; may explode if heated.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The substance is classified and labelled according to the CLP regulation.

Signal word: Danger Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 In case of leakage, eliminate all ignition sources.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

SECTION 3: Composition/information on ingredients

Information on ingredients:

CAS: 75-10-5 Difluoromethane

100%

Flam. Gas 1B, H221 Press. Gas (Liq.), H280

Identification number(s) EC number: 200-839-4

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Seek immediate medical advice.

After inhalation:

Take affected persons into fresh air. Keep at rest. At high levels, cardiac arrhythmia may occur.



Printing date 23.03.2023 Version number 1 Revision: 23.03.2023

Trade name: HFC-32

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

In cases of frost bites, rinse with plenty of water. Do not remove clothing.

After eye contact: Rinse opened eye for several minutes under running water.

Information for doctor:

Catecholamines such as adrenaline, and other compounds having similar effects, should be reserved for emergencies and then used only with special caution.

4.2 Most important symptoms and effects, both acute and chronic:

Frost bites

High concentrations cause asphyxiation. May cause an abnormal heart rhythm and prove suddenly fatal.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

Hydrogen fluoride (HF)

5.3 Advice for firefighters:

Protective equipment: Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Stay on the windward side.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

6.4 Reference to other sections: See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Waste air is to be released into the atmosphere only via suitable separators.

Open and handle receptacle with care.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities:

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Store in a cool and dry location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacle.

Protect from heat and direct sunlight.

Maximum storage temperature: 40 °C

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters No further information available.



Printing date 23.03.2023 Version number 1 Revision: 23.03.2023

Trade name: HFC-32

Ingredients with limit values that require monitoring at the workplace:

CAS: 75-10-5 Difluoromethane

WEEL (USA) 1000 ppm

DNELs:

Inhalative

DNEL - general population 750 mg/m³ (long-term exposure) (systemic effects)

DNEL - worker 7035 mg/m³ (long-term exposure) (systemic effects)

PNECs:

PNEC

0.142 mg/l (freshwater) (aqua)

0.534 mg/kg dw (freshwater) (sediment)

1.42 mg/l (intermittent release) (aqua)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Keep away from tobacco products.

Respiratory protection:

Wear respirator for organic gases, where leakage may occur.

Use suitable respiratory protective device in case of insufficient ventilation.

Use respiratory protective device with organic gas cartridge.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Material of gloves:

Strong material gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Leather

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection**



Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Colourless
Odour:
Odour threshold:
Melting point/freezing point:

Boiling point or initial boiling point and boiling range
Liquefied gas
Colourless
Odourless
Not determined.
-136 °C
Boiling point or initial boiling point and boiling range
-51.7 °C



Printing date 23.03.2023 Version number 1 Revision: 23.03.2023

Trade name: HFC-32

Flammability Flammable

Lower and upper explosion limit

Lower explosive limit:No further information available.

13.8 Vol% (High Pressure Gas Safety Act: Japan)

Upper explosive limit: Not determined.

29.9 Vol% (High Pressure Gas Safety Act: Japan)

Flash point: Not applicable.
Ignition temperature: 530 °C (1018hPa)

Decomposition temperature:No further information available.

Not determined.

Viscosity:

Kinematic viscosity Dynamic:Not determined.
Not determined.

Solubility

water: No further information available.

1680 mg / l (25 °C atmospheric pressure)

Partition coefficient n-octanol/water (log value) 0.21 log POW Vapour pressure at 25 °C: 1.69 MPa

Density and/or relative density

Density at 25 °C: 0.961 g/cm³ (Saturated liquid)

Relative densityNot determined.Vapour densityNot determined.

Particle characteristicsNo further information available.

9.2 Other information:

Form:Liquefied gasAuto-ignition temperature:Not determined.Explosive properties:Not determined.Evaporation rateNot applicable.

Information with regard to physical hazard classes

Explosives Not applicable

Flammable gases Flammable gas.

AerosolsNot applicableOxidising gasesNot applicable

Gases under pressure

Contains gas under pressure; may explode if heated.

Flammable liquidsNot applicableFlammable solidsNot applicableSelf-reactive substances and mixturesNot applicablePyrophoric liquidsNot applicablePyrophoric solidsNot applicableSelf-heating substances and mixturesNot applicable

Substances and mixtures, which emit flammable gases

in contact with waterNot applicableOxidising liquidsNot applicableOxidising solidsNot applicableOrganic peroxidesNot applicableCorrosive to metalsNot applicableDesensitised explosivesNot applicable

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions: Reacts with alkali and metals.

10.4 Conditions to avoid: No further relevant information available.

10.5 Incompatible materials: Alkali or alkaline earth metals - powdered Al, Zn, Mg, etc.



Printing date 23.03.2023 Version number 1 Revision: 23.03.2023

Trade name: HFC-32

10.6 Hazardous decomposition products: Poisonous gases/vapours

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 75-10-5 Difluoromethane

Inhalative LC0/4h > 520000 ppm (Rat)

Skin corrosion/irritation:

CAS: 75-10-5 Difluoromethane

Inhalative Cardiac sensitive 350000 ppm (Dog)

Development 50000 ppm (Rat and rabbit)

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

after inhalation: No further information available.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information (about experimental toxicology):

Chromosomal Aberration Study in vitro- Negative

Mouse Micronucleus Assay in Vivo - Negative

Additional toxicological information:

Repeated dose toxicity NOAEC (inhalation): 105000 mg/m³ (rat) (OECD 413)

CMR effects

Mutagenicity:

Ames test: negative (OECD 471)

In vitro mammalian chromosome aberration test: negative (OECD 473)

Mammalian erythrocyte micronucleus test: negative (OECD 474)

Toxicity for reproduction:

NOAEC (inhalation): 208000 mg/m³ (mouse) (OECD 478; read across)

Developmental toxicity:

NOAEC (inhalation): 105000 mg/m³ (rat) 11.2 Information on other hazards: Endocrine disrupting properties:

Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

EC50/96 h 142 mg/l (algae) (QSAR)

LC50/48 h 652 mg/l (daphnia) (QSAR)

LC50/96 h 1507 mg/l (fish) (QSAR)

12.2 Persistence and degradability:

Not easily biodegradable

5% after 28 days (OECD 301 D)

Behaviour in environmental systems

Components: Half-life in air: 1237 days

12.3 Bioaccumulative potential:

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.



Printing date 23.03.2023 Version number 1 Revision: 23.03.2023

Trade name: HFC-32

Other information

Koc = 1.49 - 21-73 (QSAR)log Koc = 0.17 - 1.34 (QSAR)

12.4 Mobility in soil: No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects:

Additional ecological information:

General notes:

Ozone depletion potential(ODP): 0

Global warming potential(GWP): 675 / IPCC Fourth Assessment Report (AR4)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation:

Must be specially treated adhering to official regulations. Incineration in an adequate incinerator is recommended.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA 3252

14.2 UN proper shipping name:

ADR: 3252 DIFLUOROMETHANE (REFRIGERANT GAS R 32)
IMDG, IATA DIFLUOROMETHANE (REFRIGERANT GAS R 32)

14.3 Transport hazard class(es):

ADR



 Class:
 2 Gases.

 Label:
 2.1

IMDG, IATA



 Class:
 2.1 Gases.

 Label:
 2.1

14.4 Packing group:

IMDG, IATA Not applicable

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user: Warning: Gases.

Hazard identification number (Kemler code): 23 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Transport/Additional information: Avoid direct sunlight. Make sure of no damage, corrosion, leaks

on the receptacles.

Take necessary measures for preventing cargo shift.



Printing date 23.03.2023 Version number 1 Revision: 23.03.2023

Trade name: HFC-32

UN "Model Regulation": UN3252, DIFLUOROMETHANE (REFRIGERANT GAS R 32),

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms



Signal word Danger

Hazard statements

H221 Flammable gas.

H280 Contains gas under pressure; may explode if heated.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 In case of leakage, eliminate all ignition sources.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Other regulations, limitations and prohibitive regulations:

High Pressure Gas Safety Act (Japan): non-flammable gas

ISO817: Classification A2L (lower flammability)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS Department

Contact: http://www.daikin.com/ Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1B: Flammable gases – Category 1B

Press. Gas (Liq.): Gases under pressure - Liquefied gas

* Data compared to the previous version altered.