

Revision: 14.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: <u>OPTODYNE UV-2100</u> Article number: UV2100 **1.2 Relevant identified uses of the substance or mixture and uses advised against:** No further relevant information available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION: Umeda Center Bldg., 4-12, Nakazaki-Nishi 2-chome, Kita-Ku, Osaka, JAPAN Phone: (+81) 6-6373-4345 Fax: (+81) 6-6373-4281

Further information obtainable from: http://www.daikin.com/ *1.4 Emergency telephone number: Japan:* +81-6-6349-7521 *China:* +86-512-5-232-0949, +86-21-34151689 *South Korea:* +82-2-568-1722 *Americas: CHEMTREC* +1-800-424-9300 (Outside US/Canada: +1-703-527-3887) *Europe:* +49-211-179 225-0

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Carc. 2

H351 Suspected of causing cancer.



Acute Tox. 4	H302 Harmful if swallowed.	
Acute Tox. 4	H312 Harmful in contact with skin.	
Acute Tox. 4	H332 Harmful if inhaled.	
Skin Irrit. 2	H315 Causes skin irritation.	
Eye Irrit. 2	H319 Causes serious eye irritation.	
Skin Sens. 1	H317 May cause an allergic skin reaction.	
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects		

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation. Signal word: Warning

Hazard-determining components of labelling:

1102,010-00101111111	ng components of moening.
Vinylcyclohexane	diepoxide
Binder	
Precautionary stat	tements:
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present	
	and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.



Revision: 14.10.2021

Trade name: OPTODYNE UV-2100

Information on ingredients:	
Blended fluoroepoxy monomers	50-60%
Hexanediol diglycidyl ether	5-15%
Binder	10-20%
Vinylcyclohexane diepoxide	10-209
Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Carc. 2, H351	
Sb polymerization initiator	< 1%
Non-fluoro epoxy monomer	< 5%
Others	< 5%

4.1 Description of first aid measures

General information: Do not expose to sunlight or other strong light. *After inhalation:*

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Consult a doctor in case of complaints.

Immediately remove any clothing soiled by the product and store in a dark container or wrapping.

After eye contact:

Immediately rinse with a lot of water for several minutes. Remove contact lenses if possible. Continue rinsing. Consult an ophthalmologist in case of complaints.

Rinse opened eye for 15 minutes under running water, periodically lifting upper and lower eyelids. Then consult a doctor.

After swallowing:

Call for a doctor immediately. Rinse mouth with water. Do not induce vomiting. Consult a doctor in case of complaints.

4.2 Most important symptoms and effects, both acute and chronic: Allergic reactions **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.
5.2 Special hazards arising from the substance or mixture:
Formation of toxic gases is possible during heating or in case of fire.
5.3 Advice for firefighters:
Protective equipment:
Wear self-contained breathing apparatus and protective suit.
Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: *Ensure adequate ventilation before entering the area.*



Version number 1

Printing date 14.10.2021

Trade name: OPTODYNE UV-2100

Stay on the windward side. Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection). Avoid contact with eyes and skin. Do not swallow the product. 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars. 6.3 Methods and material for containment and cleaning up: For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly. For a large amount of leakage: Enclose with banks to avoid outflow. Lead the leakage to a safe place and collect. 6.4 Reference to other sections: See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Do not handle until all safety precautions have been read and understood. Never allow exposure to sunlight or strong light until after curing. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. 7.2 Conditions for safe storage, including any incompatibilities: Storage Requirements to be met by storerooms and receptacles: Store in a cool and dry location. Prevent any seepage into the ground. Keep containers tightly sealed. Information about storage in one common storage facility: Store away from oxidising agents. See section 10 for information on incompatible materials. Further information about storage conditions: Protect from heat and direct sunlight. Store containers in a well ventilated area. Store locked up. 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters No further information available. Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not eat or drink while working. Keep away from tobacco products.

Never allow exposure to sunlight or other stront light until after curing.

Immediately remove all soiled and contaminated clothing and store in a dark container or dark wrapping until dispoal to hazardous waste.

Respiratory protection:

Use respiratory protective device with filters for organic and acid gas (or airline respirators in some cases) if formation of toxic gases is possible while the product is heated.

Use respiratory protective device with organic gas cartridge.

Revision: 14.10.2021



Version number 1

Printing date 14.10.2021

Trade name: OPTODYNE UV-2100

Revision: 14.10.2021

Hand protection



Protective gloves

Material of gloves: Rubber Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye/face protection



Safety glasses

Splash-proof goggles **Body protection:** Protective work clothing Impervious protective work clothing, face protection, and gloves

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information Colour: **Odour: Odour threshold:** Melting point/freezing point: Boiling point or initial boiling point and boiling range No further information available. Flammability Fundamental burning velocity: Lower and upper explosion limit Lower explosive limit: Upper explosive limit: Flash point: Auto-ignition temperature: **Decomposition temperature:** pHViscosity: Kinematic viscosity Dynamic: **Solubility** water: Partition coefficient n-octanol/water (log value) Vapour pressure: Density and/or relative density Density at 20 °C: **Relative density** Vapour density

9.2 Other information: Appearance Form: **Explosive properties: Evaporation** rate

Information with regard to physical hazard classes **Explosives** Flammable gases Aerosols Oxidising gases

Light yellow Characteristic Not determined. No further information available. Not applicable.

No further information available. No further information available. 128 °C (COC) Product is not selfigniting. No further information available. No further information available.

Not determined. Not determined.

No further information available. No further information available. No further information available.

1.31 g/cm³ Not determined. Not determined.

Liquid Product does not present an explosion hazard. Not determined.

Not applicable Not applicable Not applicable Not applicable



Trade name: OPTODYNE UV-2100

Gases under pressure A	<i>Not applicable</i>
Flammable liquids A	Not applicable
Flammable solids	Not applicable
Self-reactive substances and mixtures A	Not applicable
Pyrophoric liquids A	Not applicable
Pyrophoric solids A	Not applicable
Self-heating substances and mixtures	Not applicable
Substances and mixtures, which emit flammable gases	
in contact with water A	Not applicable
Oxidising liquids A	Not applicable
Oxidising solids A	Not applicable
Organic peroxides A	<i>Not applicable</i>
Corrosive to metals A	<i>Not applicable</i>
Desensitised explosives	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
10.2 Chemical stability
Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
10.3 Possibility of hazardous reactions:
May react drastically when exposed to light or heat.
No dangerous reactions known under normal conditions of use.
10.4 Conditions to avoid:
Keep away from heat, sparks, flame, high temperature.
Do not allow exposure to sunlight or strong light before curing.
10.5 Incompatible materials: Acids, alkali
10.6 Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Danger of toxic fluorine based pyrolysis products.
Danger of release of SbF6 before curing
SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Harmful if swallowed, in contact with skin or if inhaled. LD/LC50 values relevant for classification: No further information available. Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Other information (about experimental toxicology): No further information available. Subacute to chronic toxicity No further information available. 11.2 Information on other hazards Endocrine disrupting properties

None of the ingredients is listed.

Version number 1

Revision: 14.10.2021



Trade name: OPTODYNE UV-2100

Version number 1

Revision: 14.10.2021

SECTION 12: Ecological information

12.1 Toxicity Aquatic toxicity: No further relevant information available. 12.2 Persistence and degradability: No further relevant information available. 12.3 Bioaccumulative potential: No further relevant information available. 12.4 Mobility in soil: No further relevant information available. 12.5 Results of PBT and vPvB assessment **PBT**: No further relevant information available. No further relevant information available. Not applicable. vPvB: No further relevant information available. No further relevant information available. Not applicable. 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11. 12.7 Other adverse effects: Ecotoxical effects: no data Remark: Harmful to fish Additional ecological information: General notes: Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation:

Dispose of used containers (tubes) and any uncured or un-neutralized contamination to permitted hazardous waste. Disposal must be made according to official regulations.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number	
ADR, ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping name:	
ADR:	Not applicable
ADN, IMDG, IATA	Not applicable
14.3 Transport hazard class(es):	
ADR, ADN, IMDG, IATA	
Class:	Not applicable
14.4 Packing group:	
ADR, IMDG, IATA	Not applicable
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user:	Not applicable.
14.7 Maritime transport in bulk according t	o IMO
instruments	Not applicable.
Transport/Additional information:	Avoid direct sunlight. Make sure of no damage, corrosion, leaks on the receptacles.
	Take necessary measures for preventing cargo shift.
UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture *No further relevant information available.*



Version number 1

Revision: 14.10.2021

Trade name: OPTODYNE UV-2100

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Warning

Hazard-determining components of labelling:

Vinylcyclohexane d	lienoxide	
Binder		
Hazard statements		
H302+H312+H33	2 Harmful if swallowed, in contact with skin or if inhaled.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H317	May cause an allergic skin reaction.	
H351	Suspected of causing cancer.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary statements		
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present	
	and easy to do. Continue rinsing.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations	
	regulations.	

National regulations No further information available. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS Department

Contact: http://www.daikin.com/

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- IMDG: International Maritime Code for Dangerou IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 3: Acute toxicity Category 3
- Acute Tox. 4: Acute toxicity Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Skin Sens. 1: Skin sensitisation Category 1
- Carc. 2: Carcinogenicity Category 2
- Aquatic Chronic 2: Hazardous to the aquatic environment long-term aquatic hazard Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment long-term aquatic hazard Category 3

* Data compared to the previous version altered.