

Printing date 27.07.2022 Version number 1 Revision: 27.07.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: OPTODYNE UV-1100

Article number: UV1100

1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

Umeda Center Bldg., 4-12, Nakazaki-Nishi 2-chome, Kita-Ku, Osaka, JAPAN

Phone: (+81) 6-6373-4345 Fax: (+81) 6-6373-4281

Further information obtainable from: http://www.daikin.com/

1.4 Emergency telephone number:

Japan: +81-6-6349-7521

China: +86-512-5-232-0949, +86-21-34151689

South Korea: +82-2-568-1722

Americas: CHEMTREC +1-800-424-9300 (Outside US/Canada: +1-703-527-3887)

Europe: +49-211-179 225-0

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Carc. 2 H351 Suspected of causing cancer.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

Signal word: Warning

Hazard-determining components of labelling:

Vinylcyclohexane diepoxide

Binder

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



Printing date 27.07.2022 Version number 1 Revision: 27.07.2022

Trade name: OPTODYNE UV-1100

SECTION 3: Composition/information on ingredients

Information on ingredients:

Blended fluoroepoxy monomers 65-75%

Non-fluoro epoxy monomer <5%

Binder <5%

Aquatic Chronic 2, H411

Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317

EUH205

Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5 \%$

Skin Irrit. 2; *H315*: *C* ≥ 5 %

Vinylcyclohexane diepoxide 20 – 30%

Acute Tox. 3, H331

Muta. 2, H341; Carc. 1B, H350; Repr. 1B, H360F

Acute Tox. 4, H302

ATE: LD50 oral: 847 mg/kg LC50/4h inhalative: 0.5 ppm

CAS: 108-32-7 Propylene carbonate < 5%

Eye Irrit. 2, H319

Sb polymerization initiator < 5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Do not expose to sunlight or other strong light.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Consult a doctor in case of complaints.

Immediately remove any clothing soiled by the product and store in a dark container or wrapping.

After eye contact:

Immediately rinse with a lot of water for several minutes. Remove contact lenses if possible. Continue rinsing.

Consult an ophthalmologist in case of complaints.

Rinse opened eye for 15 minutes under running water, periodically lifting upper and lower eyelids. Then consult a doctor.

After swallowing:

Call for a doctor immediately.

Rinse mouth with water. Do not induce vomiting.

Consult a doctor in case of complaints.

4.2 Most important symptoms and effects, both acute and chronic: Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.

5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.



Printing date 27.07.2022 Version number 1 Revision: 27.07.2022

Trade name: OPTODYNE UV-1100

5.3 Advice for firefighters:

Protective equipment:

Wear self-contained breathing apparatus and protective suit.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation before entering the area.

Stay on the windward side.

Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

Do not swallow the product.

6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

6.3 Methods and material for containment and cleaning up:

For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly.

For a large amount of leakage: Enclose with banks to avoid outflow. Lead the leakage to a safe place and collect.

6.4 Reference to other sections:

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Do not handle until all safety precautions have been read and understood.

Never allow exposure to sunlight or strong light until after curing.

小心打開和處理插座。絕不允許任何形式的皮膚接觸。

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities:

Storage

Requirements to be met by storerooms and receptacles:

Store in a cool and dry location.

Prevent any seepage into the ground.

Keep containers tightly sealed.

Information about storage in one common storage facility:

Store away from oxidising agents.

See section 10 for information on incompatible materials.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store containers in a well ventilated area.

Store locked up.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters No further information available.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Keep away from tobacco products.



Printing date 27.07.2022 Version number 1 Revision: 27.07.2022

Trade name: OPTODYNE UV-1100

Never allow exposure to sunlight or other stront light until after curing.

Immediately remove all soiled and contaminated clothing and store in a dark container or dark wrapping until dispoal to hazardous waste.

Respiratory protection:

Use respiratory protective device with filters for organic and acid gas (or airline respirators in some cases) if formation of toxic gases is possible while the product is heated.

Use respiratory protective device with organic gas cartridge.

Hand protection



Material of gloves: Rubber

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection**



Splash-proof goggles **Body protection:**

Protective work clothing

Impervious protective work clothing, face protection, and gloves

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateFluidColour:Light yellowOdour:CharacteristicOdour threshold:Not determined.

Melting point/freezing point: No further information available. **Boiling point or initial boiling point and boiling range** No further information available.

Flammability Not applicable.

Lower and upper explosion limit

Lower explosive limit:No further information available.Upper explosive limit:No further information available.

Flash point: 118 °C (COC)

Decomposition temperature: pHNo further information available.
No further information available.

Viscosity:

Kinematic viscosity Dynamic:Not determined.
Not determined.

Solubility

water: No further information available.

Partition coefficient n-octanol/water (log value) No further information available.

Vapour pressure: No further information available.

Density and/or relative density

Density at 20 °C:1.36 g/cm³Relative densityNot determined.Vapour densityNot determined.

Particle characteristics No further relevant information available.

9.2 Other information:

Appearance

Form: Fluid



Printing date 27.07.2022 Version number 1 Revision: 27.07.2022

Trade name: OPTODYNE UV-1100

Auto-ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Not applicable Flammable gases Not applicable Aerosols Not applicable Oxidising gases Not applicable Gases under pressure Not applicable Flammable liquids Not applicable Flammable solids Not applicable Self-reactive substances and mixtures Not applicable Pyrophoric liquids Not applicable Not applicable Pyrophoric solids Not applicable Self-heating substances and mixtures

Substances and mixtures, which emit flammable gases

in contact with waterNot applicableOxidising liquidsNot applicableOxidising solidsNot applicableOrganic peroxidesNot applicableCorrosive to metalsNot applicableDesensitised explosivesNot applicable

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

10.3 Possibility of hazardous reactions:

May react drastically when exposed to light or heat.

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid:

Keep away from heat, sparks, flame, high temperature.

Do not allow exposure to sunlight or strong light before curing.

10.5 Incompatible materials: Acids, alkali 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Danger of toxic fluorine based pyrolysis products.

Danger of release of SbF6 before curing

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

LD/LC50 values relevant for classification: No further information available.

Skin corrosion/irritation No further information available.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information (about experimental toxicology): No further information available.

Subacute to chronic toxicity No further information available.



Printing date 27.07.2022 Version number 1 Revision: 27.07.2022

Trade name: OPTODYNE UV-1100

11.2 Information on other hazards Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available. 12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: No further relevant information available. **vPvB:** No further relevant information available.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

Ecotoxical effects: no data Remark: Harmful to fish

Additional ecological information:

General notes: Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation:

Dispose of used containers (tubes) and any uncured or un-neutralized contamination to permitted hazardous waste. Disposal must be made according to official regulations.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, ADN, IMDG, IATA Not applicable

14.2 UN proper shipping name:

ADR, ADN, IMDG, IATA Not applicable

14.3 Transport hazard class(es):

ADR, ADN, IMDG, IATA

Class: Not applicable

14.4 Packing group:

ADR, IMDG, IATA Not applicable

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user: Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Transport/Additional information: Avoid direct sunlight. Make sure of no damage, corrosion, leaks

on the receptacles.

Take necessary measures for preventing cargo shift.

UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.



Printing date 27.07.2022 Version number 1 Revision: 27.07.2022

Trade name: OPTODYNE UV-1100

Hazard pictograms





GHS07

Signal word Warning

Hazard-determining components of labelling:

Vinylcyclohexane diepoxide

Binder

Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations No further information available.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS Department

Contact: http://www.daikin.com/ Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Muta. 2: Germ cell mutagenicity – Category 2

Carc. 1B: Carcinogenicity - Category 1B

Carc. 2: Carcinogenicity – Category 2 Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.