

Printing date 20.03.2023

Version number 6

Revision: 20.03.2023

**\* SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name: UNIDYNE XF-4001****Article number: UNXF4001 STD****1.2 Relevant identified uses of the substance or mixture and uses advised against:****Sector of Use SU8** Manufacture of bulk, large scale chemicals (including petroleum products)**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

OSAKA UMEDA TWIN TOWERS SOUTH, 1-13-1 Umeda, Kita-ku, Osaka-shi, Osaka, 530-0001, Japan

Phone: +81-6-6147-9702 Fax: +81-6-6147-9807

**Further information obtainable from:**<http://www.daikin.com/>[sales@daikinchem.de](mailto:sales@daikinchem.de)**1.4 Emergency telephone number:**

Japan: +81-6-6349-7521

China: +86-532-8388-9090, +86-21-34151689

South Korea: +82-2-568-1722

Americas: CHEMTREC +1-800-424-9300 (Outside US/Canada: +1-703-527-3887)

Europe: +49-211-179 225-0

**\* SECTION 2: Hazard identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008:** Not applicable**Signal word:** Not applicable**\* SECTION 3: Composition/information on ingredients****Information on ingredients:**

Acrylate copolymer	25-35%
CAS: 64-19-7 Acetic acid	< 1%
Flam. Liq. 3, H226	
Skin Corr. 1A, H314	
Acute Tox. 4, H312	
Specific concentration limits: Skin Corr. 1A; H314: $C \geq 90 \%$	
Skin Corr. 1B; H314: $25 \% \leq C < 90 \%$	
Skin Irrit. 2; H315: $10 \% \leq C < 25 \%$	
Eye Irrit. 2; H319: $10 \% \leq C < 25 \%$	
CAS: 24800-44-0 Tripropylene glycol	5-15%
CAS: 7732-18-5 Water	55-65%
Others	<5%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**\* SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Seek medical treatment.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Remove contaminated clothes immediately.

Immediately wash with water and soap and rinse thoroughly.

Consult a doctor in case of complaints.

Printing date 20.03.2023

Version number 6

Revision: 20.03.2023

**Trade name: UNIDYNE XF-4001****After eye contact:**

Immediately rinse with a lot of water for several minutes. Remove contact lenses if possible. Continue rinsing. Consult an ophthalmologist in case of complaints.

**After swallowing:**

Rinse mouth with water. Do not induce vomiting. Consult a doctor in case of complaints.

**4.2 Most important symptoms and effects, both acute and chronic:** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

**Suitable extinguishing agents:** Use fire extinguishing methods suitable for surrounding conditions.

**For safety reasons unsuitable extinguishing agents:** No further information available.

**5.2 Special hazards arising from the substance or mixture:**

Formation of toxic gases is possible during heating or in case of fire.

**5.3 Advice for firefighters:****Protective equipment:**

Wear self-contained breathing apparatus and protective suit.

Do not inhale explosion gases or combustion gases.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation before entering the area.

Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

Do not swallow the product.

**6.2 Environmental precautions:** Prevent seepage into sewage system, workpits and cellars.

**6.3 Methods and material for containment and cleaning up:**

For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly.

For a large amount of leakage: Enclose with banks to avoid outflow. Lead the leakage to a safe place and collect.

**6.4 Reference to other sections:**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**\* SECTION 7: Handling and storage****7.1 Precautions for safe handling:**

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

Do not handle until all safety precautions have been read and understood.

**Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

**7.2 Conditions for safe storage, including any incompatibilities:****Storage****Requirements to be met by storerooms and receptacles:**

Store in a cool and dry location.

Provide solvent resistant, sealed floor.

Prevent any seepage into the ground.

Keep containers tightly sealed.

**Information about storage in one common storage facility:**

See section 10 for information on incompatible materials.

**Further information about storage conditions:**

Protect from heat and direct sunlight.

Store containers in a well ventilated area.

Store locked up.

Printing date 20.03.2023

Version number 6

Revision: 20.03.2023

Trade name: UNIDYNE XF-4001

7.3 Specific end use(s): No further relevant information available.

**\* SECTION 8: Exposure controls/personal protection**

8.1 Control parameters No further information available.

**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**8.2 Exposure controls****Appropriate engineering controls** No further data; see item 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Keep away from tobacco products.

**Respiratory protection:**

Use respiratory protective device with filters for organic and acid gas (or airline respirators in some cases) if formation of toxic gases is possible while the product is heated.

Use respiratory protective device with organic gas cartridge.

**Hand protection**

Protective gloves

**Material of gloves:** Rubber**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection**

Safety glasses

**Body protection:** Protective work clothing**\* SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Physical state**

Fluid

**Colour:**

Light yellow

**Odour:**

Aromatic

**Odour threshold:**

Not determined.

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range** 100 °C**Flammability**

Not applicable.

**Lower and upper explosion limit****Lower explosive limit:**

No further information available.

**Upper explosive limit:**

Not determined.

**Flash point:**

Not applicable.

**Decomposition temperature:**

Not determined.

**pH at 20 °C**

3

**Viscosity:****Kinematic viscosity**

Not determined.

**Dynamic:**

Not determined.

**Solubility****water:**

No further information available.

**Partition coefficient n-octanol/water (log value)**

No further information available.

**Vapour pressure:**

No further information available.

Printing date 20.03.2023

Version number 6

Revision: 20.03.2023

Trade name: UNIDYNE XF-4001

**Density and/or relative density****Density at 20 °C:**1.07 g/cm<sup>3</sup>**Relative density**

Not determined.

**Vapour density**

Not determined.

**Particle characteristics**

Not applicable.

**9.2 Other information:****Form:**

Liquid

**Auto-ignition temperature:**

Product is not self-igniting.

**Explosive properties:**

Product does not present an explosion hazard.

**Evaporation rate**

Not determined.

**Information with regard to physical hazard classes****Explosives**

Not applicable

**Flammable gases**

Not applicable

**Aerosols**

Not applicable

**Oxidising gases**

Not applicable

**Gases under pressure**

Not applicable

**Flammable liquids**

Not applicable

**Flammable solids**

Not applicable

**Self-reactive substances and mixtures**

Not applicable

**Pyrophoric liquids**

Not applicable

**Pyrophoric solids**

Not applicable

**Self-heating substances and mixtures**

Not applicable

**Substances and mixtures, which emit flammable gases****in contact with water**

Not applicable

**Oxidising liquids**

Not applicable

**Oxidising solids**

Not applicable

**Organic peroxides**

Not applicable

**Corrosive to metals**

Not applicable

**Desensitised explosives**

Not applicable

**\* SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.**10.3 Possibility of hazardous reactions:** No dangerous reactions known under normal conditions of use.**10.4 Conditions to avoid:** Keep away from heat, sparks, flame, high temperature.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** Carbon monoxide**\* SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:**

Oral LD50 &gt; 2000 mg/kg (Rat)

**Skin corrosion/irritation:**

No further information available.

Based on available data, the classification criteria are not met.

Irritation of skin Primary skin irritation study (Rabbit)

No irritant (OECD404)

**Serious eye damage/irritation:**

No further information available.

Based on available data, the classification criteria are not met.

Irritation of eyes Primary eye irritation study (Rabbit)

Mild irritant (OECD405)

**after inhalation:** No further information available.

Printing date 20.03.2023

Version number 6

Revision: 20.03.2023

**Trade name: UNIDYNE XF-4001****Respiratory or skin sensitisation:***Based on available data, the classification criteria are not met.**Sensitisation Skin Sensitization SI (Mouse)**No sensitiser (OECD429)***Germ cell mutagenicity:** *Based on available data, the classification criteria are not met.***Carcinogenicity:** *Based on available data, the classification criteria are not met.***Reproductive toxicity:** *Based on available data, the classification criteria are not met.***STOT-single exposure:** *Based on available data, the classification criteria are not met.***STOT-repeated exposure:** *Based on available data, the classification criteria are not met.***Aspiration hazard:** *Based on available data, the classification criteria are not met.***Subacute to chronic toxicity:** *No further information available.***Additional toxicological information:***General effects:**Fumes generated during burning may cause "polymer fume fever" (flu-like symptoms such as fever, chill, cough).**This may last for a whole day and night.**Fumes are not absorbed in skin. No sensitizing effect known.**Effects of hydrogen fluoride:**Low concentration of hydrogen fluoride may cause feeling of dyspnea, cough, irritation in eyes, nose, throat, fever, chill for 1-2 days.**After that, dyspnea, cyanosis and pulmonary edema may be seen.**High concentration of hydrogen fluoride damages liver and kidney.**Effects of carbonyl fluoride:**Skin: Irritation or eruption**Eye: Ulcer in cornea, conjunctiva**Respiratory system: Irritation**Lung: Temporary symptoms such as cough, pain, dyspnea**Persons who have experienced lung diseases are vulnerable to toxicity caused by excessive exposure to pyrolysis products***11.2 Information on other hazards:****Endocrine disrupting properties:***None of the ingredients is listed.***\* SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:***EC50 mg/l (Alga)**10.5 mg/L 48hr**10.0 mg/L 72hr non-GLP**> 5000 mg/l (Bacteria)**non-GLP***12.2 Persistence and degradability:***Biodegradation 100 % (Activated sludge)**28days non-GLP***12.3 Bioaccumulative potential:** *No further relevant information available.***12.4 Mobility in soil:** *No further relevant information available.***12.5 Results of PBT and vPvB assessment****PBT:** *No further relevant information available.***vPvB:** *No further relevant information available.***12.6 Endocrine disrupting properties***The product does not contain substances with endocrine disrupting properties.**For information on endocrine disrupting properties see section 11.***12.7 Other adverse effects:***BOD 4000mgO/L**CODMn=150000mgO/L*

Printing date 20.03.2023

Version number 6

Revision: 20.03.2023

Trade name: UNIDYNE XF-4001

Ecotoxicological effects: no data

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation:** Disposal must be made according to official regulations.**Uncleaned packaging****Recommendation:** Disposal must be made according to official regulations.**\* SECTION 14: Transport information****14.1 UN number or ID number**

Not applicable

**14.2 UN proper shipping name:**

Not applicable

**14.3 Transport hazard class(es):**

Not applicable

**14.4 Packing group:**

Not applicable

**14.5 Environmental hazards:****Marine pollutant:**

Yes

No

**14.6 Special precautions for user:**

Not applicable.

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**Transport/Additional information:**

Avoid direct sunlight. Make sure of no damage, corrosion, leaks on the receptacles.

Take necessary measures for preventing cargo shift.

**ADR****Excepted quantities (EQ)**

NOT SUBJECT TO ADR

**Tunnel restriction code:**

-

**IMDG****Excepted quantities (EQ)**

Code: None

Maximum net quantity per inner packaging: None

Maximum net quantity per outer packaging: None

**UN "Model Regulation":**

Not Applicable

**\* SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

**Labelling according to Regulation (EC) No 1272/2008** Not applicable**Hazard pictograms** Not applicable**Signal word** Not applicable**Hazard statements** Not applicable**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**National regulations** No further information available.

Printing date 20.03.2023

Version number 6

Revision: 20.03.2023

**Trade name: UNIDYNE XF-4001**

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

\* **SECTION 16: Other information**

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:** EHS Department

**Contact:**

<http://www.daikin.com/>

[sales@daikinchem.de](mailto:sales@daikinchem.de)

[www.daikinchem.de](http://www.daikinchem.de)

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

\* **Data compared to the previous version altered.**