

Revision: 20.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

 Trade name: UNIDYNE XF-5005

 Article number: UNXF5005 STD

 1.2 Relevant identified uses of the substance or mixture and uses advised against:

 Sector of Use SU8
 Manufacture of bulk, large scale chemicals (including petroleum products)

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION: OSAKA UMEDA TWIN TOWERS SOUTH, 1-13-1 Umeda, Kita-ku, Osaka-shi, Osaka, 530-0001, Japan Phone:+81-6-6147-9702 Fax:+81-6-6147-9807

Further information obtainable from: http://www.daikin.com/ *1.4 Emergency telephone number:* Japan: +81-6-6349-7521 China: +86-532-8388-9090, +86-21-34151689 South Korea: +82-2-568-1722 Americas: CHEMTREC +1-800-424-9300 (Outside US/Canada: +1-703-527-3887) Europe: +49-211-179 225-0

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 *The product is not classified, according to the CLP regulation.*

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008: Not applicable Signal word: Not applicable

SECTION 3: Composition/information on ingredients

Information on ingredients:

	Acrylate copolymer	20-30%
CAS: 24800-44-0 Tripropylene glycol		5 - 15%
CAS: 67-63-0	Isopropyl alcohol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	< 1%
CAS: 7732-18-5	Water	55-65%
Additional infor	Others mation: For the wording of the listed hazard phrases refer to section 16.	1-10%

SECTION 4: First aid measures

4.1 Description of first aid measures
General information: Seek medical treatment.
After inhalation: Supply fresh air; consult doctor in case of complaints.
After skin contact:
Remove contaminated clothes immediately.
Immediately wash with water and soap and rinse thoroughly.
Consult a doctor in case of complaints.
After eye contact:
Immediately rinse with a lot of water for several minutes. Remove contact lenses if possible. Continue rinsing.
Consult an ophthalmologist in case of complaints.
After swallowing:
Rinse mouth with water. Do not induce vomiting.
Consult a doctor in case of complaints.
4.2 Most important symptoms and effects, both acute and chronic: No further relevant information available.



Revision: 20.03.2023

Trade name: UNIDYNE XF-5005

4.3 Indication of any immediate medical attention and special treatment needed: *No further relevant information available.*

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.
5.2 Special hazards arising from the substance or mixture:
Formation of toxic gases is possible during heating or in case of fire.
5.3 Advice for firefighters:
Protective equipment:
Wear self-contained breathing apparatus and protective suit.
Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation before entering the area.

Stay on the windward side.

Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

Do not swallow the product.

6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

6.3 Methods and material for containment and cleaning up:

For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly.

For a large amount of leakage: Enclose with banks to avoid outflow. Lead the leakage to a safe place and collect. 6.4 Reference to other sections:

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Do not handle until all safety precautions have been read and understood. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. 7.2 Conditions for safe storage, including any incompatibilities: Storage Requirements to be met by storerooms and receptacles: Store in a cool and dry location. Prevent any seepage into the ground. *Keep containers tightly sealed.* Information about storage in one common storage facility: See section 10 for information on incompatible materials. Further information about storage conditions: Protect from heat and direct sunlight. Store containers in a well ventilated area. Store locked up. 7.3 Specific end use(s): No further relevant information available. SECTION 8: Exposure controls/personal protection

8.1 Control parameters No further information available.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls Appropriate engineering controls No further data; see item 7.



Version number 6

Printing date 20.03.2023

Revision: 20.03.2023

Trade name: UNIDYNE XF-5005

Individual protection measures, such as personal protective equipment General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not eat or drink while working. Keep away from tobacco products. Respiratory protection: Use respiratory protective device with filters for organic and acid gas (or airl

Use respiratory protective device with filters for organic and acid gas (or airline respirators in some cases) if formation of toxic gases is possible while the product is heated. Use respiratory protective device with organic gas cartridge.

Hand protection



Protective gloves

Material of gloves: Rubber

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. *Eye/face protection*



Safety glasses

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical prope	rties
General Information	
Physical state	Fluid
Colour:	Whitish - light yellow
Odour:	Slightly sweetish
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	100 °C (Water)
	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower explosive limit:	No further information available.
Upper explosive limit:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	No further information available.
	Not determined.
pH at 20 °C	2.5
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	No further information available.
	Not determined.
Vapour pressure:	No further information available.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Particle characteristics	Not applicable.



Trade name: UNIDYNE XF-5005

Printing date 20.03.2023

Version number 6

Revision: 20.03.2023

9.2 Other information:				
	Liquid			
	Product is not self-igniting.			
6 I	<i>Product does not present an explosion hazard.</i>			
	Not determined.			
Information with regard to physical hazard classes				
	Not applicable			
	<i>Not applicable</i>			
	<i>Not applicable</i>			
1	Not applicable			
	Not applicable			
	<i>Not applicable</i>			
	<i>Not applicable</i>			
· ·	<i>Not applicable</i>			
Substances and mixtures, which emit flammable gases				
	Not applicable			
	Not applicable			
	Not applicable			
Organic peroxides	Not applicable			
Corrosive to metals	Not applicable			
Desensitised explosives	Not applicable			

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
10.2 Chemical stability
Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
10.3 Possibility of hazardous reactions: No dangerous reactions known under normal conditions of use.
10.4 Conditions to avoid: Keep away from heat, sparks, flame, high temperature.
10.5 Incompatible materials: No further relevant information available.
10.6 Hazardous decomposition products: Carbon monoxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Oral LD50>2000mg/kg (rat) LD/LC50 values relevant for classification: No further information available. Skin corrosion/irritation: No skin irritation (in vitro, OECD439) Serious eye damage/irritation: No eye irritation (in vitro, OECD492) after inhalation: No further information available. Respiratory or skin sensitisation: Mouse: No skin sensitization Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: No further information available. Reproductive toxicity: No further information available. STOT-single exposure: No further information available. STOT-repeated exposure: No further information available. Aspiration hazard: No further information available. **Other information (about experimental toxicology):** Bacterial Reverse Mutation Test : negative 11.2 Information on other hazards: Endocrine disrupting properties:

None of the ingredients is listed.



Version number 6

Revision: 20.03.2023

Trade name: UNIDYNE XF-5005

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: EC50 3599.5mg/l (Alga) (OECD201 non-GLP)

> 5000 mg/l (Bacteria) OECD209 non-GLP

12.2 Persistence and degradability: No further relevant information available.
Abiotic degradation: Biodegradability=100% (Activated sludge ; 28days) (OECD302B non-GLP)
12.3 Bioaccumulative potential: No further relevant information available.
12.4 Mobility in soil: No further relevant information available.
12.5 Results of PBT and vPvB assessment
PBT: No further relevant information available.
vPvB: No further information available.
12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
12.7 Other adverse effects:
BOD=29000mgO/L
CODMa=180000mgO/L

CODMn=180000mgO/L Ecotoxical effects: no data

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation: Disposal must be made according to official regulations.

Uncleaned packaging Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number				
ADR, ADN, IMDG, IATA	Not applicable			
14.2 UN proper shipping name:				
ADR:	Not applicable			
ADN, IMDG, IATA	Not applicable			
14.3 Transport hazard class(es):				
ADR, ADN, IMDG, IATA				
Class:	Not applicable			
14.4 Packing group:				
ADR, IMDG, IATA	Not applicable			
14.5 Environmental hazards:				
Marine pollutant:	No			
14.6 Special precautions for user:	Not applicable.			
14.7 Maritime transport in bulk according to IMO				
instruments	Not applicable.			
Transport/Additional information:	Avoid direct sunlight. Make sure of no damage, corrosion, leaks			
	on the receptacles.			
	Take necessary measures for preventing cargo shift.			
UN "Model Regulation":	Not applicable			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. Labelling according to Regulation (EC) No 1272/2008 Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable



Version number 6

Revision: 20.03.2023

Trade name: UNIDYNE XF-5005

National regulations No further information available. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS Department Contact: http://www.daikin.com/ Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.