

*** SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** UNIDYNE XF-5004**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

No further relevant information available.

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

OSAKA UMEDA TWIN TOWERS SOUTH, 1-13-1 Umeda, Kita-ku, Osaka-shi, Osaka, 530-0001, Japan

Phone: +81-6-6147-9702 Fax: +81-6-6147-9807

1.4 Emergency telephone number: Japan: +81-6-6349-7521*** SECTION 2: Hazard identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008:** Not applicable**Signal word:** Not applicable*** SECTION 3: Composition/information on ingredients****Information on ingredients:**

| | |
|---|----------|
| Acrylate copolymer | 20-30% |
| CAS: 24800-44-0 Tripropylene glycol | 5-15% |
| CAS: 67-63-0 Isopropyl alcohol | < 1% |
| Flam. Liq. 2, H225 | |
| Eye Irrit. 2, H319; STOT SE 3, H336 | |
| CAS: 7732-18-5 Water | 55 – 65% |
| CAS: 8002-74-2 Paraffin waxes and Hydrocarbon waxes | <5% |
| Others | 5-10% |

Additional information: For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Seek medical treatment.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Remove contaminated clothes immediately.

Immediately wash with water and soap and rinse thoroughly.

Consult a doctor in case of complaints.

After eye contact:

Immediately rinse with a lot of water for several minutes. Remove contact lenses if possible. Continue rinsing.

Consult an ophthalmologist in case of complaints.

After swallowing:

Rinse mouth with water. Do not induce vomiting.

Consult a doctor in case of complaints.

4.2 Most important symptoms and effects, both acute and chronic: No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

Printing date 27.02.2026

Version number 1

Revision: 27.02.2026

Trade name: UNIDYNE XF-5004

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.

5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters:**Protective equipment:**

Wear self-contained breathing apparatus and protective suit.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Ensure adequate ventilation before entering the area.

Stay on the windward side.

Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

Do not swallow the product.

6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.**6.3 Methods and material for containment and cleaning up:**

For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly.

For a large amount of leakage: Enclose with banks to avoid outflow. Lead the leakage to a safe place and collect.

6.4 Reference to other sections:

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Do not handle until all safety precautions have been read and understood.

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities:**Storage****Requirements to be met by storerooms and receptacles:**

Store in a cool and dry location.

Prevent any seepage into the ground.

Keep containers tightly sealed.

Information about storage in one common storage facility:

See section 10 for information on incompatible materials.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store containers in a well ventilated area.

Store locked up.

7.3 Specific end use(s): No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters** No further information available.**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Printing date 27.02.2026

Version number 1

Revision: 27.02.2026

Trade name: UNIDYNE XF-5004
Individual protection measures, such as personal protective equipment
General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Keep away from tobacco products.

Respiratory protection:

Use respiratory protective device with filters for organic and acid gas (or airline respirators in some cases) if formation of toxic gases is possible while the product is heated.

Use respiratory protective device with organic gas cartridge.

Hand protection


Protective gloves

Material of gloves: Rubber

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection


Safety glasses

Body protection: Protective work clothing

| |
|--|
| * SECTION 9: Physical and chemical properties |
|--|

9.1 Information on basic physical and chemical properties
General Information
Physical state

Liquid

Colour:

Light yellow

Odour:

Slightly sweetish

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

100 °C (Water)

Flammability

Not applicable.

Lower and upper explosion limit
Lower explosive limit:

No further information available.

Upper explosive limit:

Not determined.

Flash point:

Not applicable.

Auto-ignition temperature:

Product is not self-igniting.

Decomposition temperature:

No further information available.

pH at 25 °C

4

Viscosity:
Kinematic viscosity

Not determined.

Dynamic:

Not determined.

Solubility
water:

Fully miscible.

Partition coefficient n-octanol/water (log value)

No further information available.

Vapour pressure:

No further information available.

Vapour pressure:

No further information available.

Density and/or relative density
Density:

 1.01 g/cm³
Relative density

1.01

Vapour density

Not determined.

Particle characteristics

No further information available.

9.2 Other information:
Form:

Liquid

Printing date 27.02.2026

Version number 1

Revision: 27.02.2026

Trade name: UNIDYNE XF-5004

Ignition temperature:

Product is not self-igniting.

Information with regard to physical hazard classes

| | |
|--|----------------|
| Explosives | Not applicable |
| Flammable gases | Not applicable |
| Aerosols | Not applicable |
| Oxidising gases | Not applicable |
| Gases under pressure | Not applicable |
| Flammable liquids | Not applicable |
| Flammable solids | Not applicable |
| Self-reactive substances and mixtures | Not applicable |
| Pyrophoric liquids | Not applicable |
| Pyrophoric solids | Not applicable |
| Self-heating substances and mixtures | Not applicable |
| Substances and mixtures, which emit flammable gases in contact with water | Not applicable |
| Oxidising liquids | Not applicable |
| Oxidising solids | Not applicable |
| Organic peroxides | Not applicable |
| Corrosive to metals | Not applicable |
| Desensitised explosives | Not applicable |

*** SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:** To avoid thermal decomposition do not overheat.**10.3 Possibility of hazardous reactions:** No dangerous reactions known under normal conditions of use.**10.4 Conditions to avoid:** Keep away from heat, sparks, flame, high temperature.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** Carbon monoxide*** SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity Oral LD50 > 2000mg/kg (Rat)****LD/LC50 values relevant for classification:**

Oral LD50 > 2000 mg/kg (Rat)

Primary irritant effect**Skin corrosion/irritation:**

No skin irritation (in vitro, OECD439)

Irritation of skin Primary skin irritation study (Rabbit)

No irritant

Serious eye damage/irritation:

No eye irritation (in vitro, OECD492)

Irritation of eyes Primary eye irritation study (Rabbit)

No irritant

after inhalation: No further information available.**Respiratory or skin sensitisation:**

Mouse: No skin sensitization (OECD442B)

Sensitisation Skin Sensitization SI (Mouse)

Non sensitiser (OECD429)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.**Carcinogenicity:** No further information available.**Reproductive toxicity:** No further information available.**STOT-single exposure:** No further information available.**STOT-repeated exposure:** No further information available.**Aspiration hazard:** No further information available.**Chronic study** No further information available.

Printing date 27.02.2026

Version number 1

Revision: 27.02.2026

Trade name: UNIDYNE XF-5004

*Subacute to chronic toxicity: No further information available.**** SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:**

EC50 mg/l (Alga)

102 mg/L 72hr OECD201 non-GLP

61.5 mg/l (Bacteria)

OECD209 non-GLP

12.2 Persistence and degradability:

Biodegradation 100% (Activated sludge) (OECD302B non-GLP)

14days non-GLP

BOD 7900 mgO/L (fresh water)

COD 89000 mgO/L (fresh water)

Abiotic degradation:

BOD=7900mgO/L

CODMn=89000mgO/L

12.3 Bioaccumulative potential: No further relevant information available.**12.4 Mobility in soil:** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** No further relevant information available.**vPvB:** No further information available.**12.7 Other adverse effects:****Ecotoxic effects:** no data**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation:** Disposal must be made according to official regulations.**Uncleaned packaging****Recommendation:** Disposal must be made according to official regulations.*** SECTION 14: Transport information****14.1 UN number or ID number**

Not applicable

ADR, IMDG, IATA

Not applicable

14.2 UN proper shipping name:

Not applicable

ADR, IMDG, IATA

Not applicable

14.3 Transport hazard class(es):

Not applicable

ADR, ADN, IMDG, IATA**Class:**

Not applicable

14.4 Packing group:

Not applicable

ADR, IMDG, IATA

Not applicable

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user:

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Transport/Additional information:

Avoid direct sunlight. Make sure of no damage, corrosion, leaks on the receptacles.

Take necessary measures for preventing cargo shift.

ADR**Tunnel restriction code:**

-

UN "Model Regulation":

Not applicable

Printing date 27.02.2026

Version number 1

Revision: 27.02.2026

Trade name: UNIDYNE XF-5004

*** SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture***No further relevant information available.***Labelling according to Regulation (EC) No 1272/2008** *Not applicable***Hazard pictograms** *Not applicable***Signal word** *Not applicable***Hazard statements** *Not applicable***DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II***None of the ingredients is listed.***Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))***None of the ingredients is listed.***Annex II - REPORTABLE EXPLOSIVES PRECURSORS***None of the ingredients is listed.***Regulation (EC) No 273/2004 on drug precursors***None of the ingredients is listed.***Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors***None of the ingredients is listed.***National regulations** *No further information available.***15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.**** SECTION 16: Other information***The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance.**This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***Department issuing SDS:** *EHS Department***Contact:** *<https://www.daikin.com/>***Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)**ICAO: International Civil Aviation Organisation**ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)**ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**** Data compared to the previous version altered.**