

Revision: 24.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: <u>C6EPOXY</u> Article number: ST-C6EPOXY STD EC number: 254-004-4 1 2 Relevant identified uses of the sub

**1.2 Relevant identified uses of the substance or mixture and uses advised against: Sector of Use** SU8 Manufacture of bulk, large scale chemicals (including petroleum products)

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION: OSAKA UMEDA TWIN TOWERS SOUTH, 1-13-1 Umeda, Kita-ku, Osaka-shi, Osaka, 530-0001, Japan Phone:+81-6-6147-9702 Fax:+81-6-6147-9807

### Further information obtainable from: http://www.daikin.com/

**1.4 Emergency telephone number:** Japan: +81-6-6349-7521 China: +86-532-8388-9090, +86-21-34151689 South Korea: +82-2-568-1722 Americas: CHEMTREC +1-800-424-9300 (Outside US/Canada: +1-703-527-3887) Europe: +49-211-179 225-0

## SECTION 2: Hazard identification

#### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



•	
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
STOT SE 3	H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008:

*The substance is classified and labelled according to the CLP regulation. Signal word: Warning* 

#### Hazard-determining components of labelling:

(2,2,3,3,4,4,5,5,6,6,7,7,7-tride cafluor oheptyl) oxirane

## Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

- P264 Wash thoroughly after handling.
- *P273 Avoid release to the environment.*
- P280 Wear eye protection / face protection.
- *P312 Call a POISON CENTER/doctor if you feel unwell.*

*P403+P233 Store in a well-ventilated place. Keep container tightly closed.* 

## **SECTION 3:** Composition/information on ingredients

#### Information on ingredients:

CAS: 38565-52-5 3-Perfluorohexyl-1,2-epoxypropane Identification number(s) EC number: 254-004-4 100%



Version number 1

Revision: 24.03.2023

Printing date 24.03.2023 Trade name: C6EPOXY

# **SECTION 4:** First aid measures

# 4.1 Description of first aid measures

*General information:* Seek medical treatment. *After inhalation:* Supply fresh air; consult doctor in case of complaints.

## After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Consult a doctor in case of complaints.

### After eye contact:

Immediately rinse with a lot of water for several minutes. Remove contact lenses if possible. Continue rinsing. Consult an ophthalmologist in case of complaints.

### After swallowing:

Rinse mouth with water. Do not induce vomiting.

Consult a doctor in case of complaints.

**4.2 Most important symptoms and effects, both acute and chronic:** No further relevant information available. **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam. Alcohol resistant foam Fire-extinguishing powder Drv sand CO2 For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture: Formation of toxic gases is possible during heating or in case of fire. Receptacle may explode when heated. Extremely flammable; can ignite easily with heat, sparks, fire. 5.3 Advice for firefighters: Remove receptacles from area of fire if possible. **Protective equipment:** Wear fully protective suit. Wear self-contained breathing apparatus and protective suit. Do not inhale explosion gases or combustion gases.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective clothing. Ensure adequate ventilation before entering the area. Stay on the windward side.

Keep out unauthorized persons.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

Do not swallow the product.

## 6.2 Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Prevent seepage into sewage system, workpits and cellars.

6.3 Methods and material for containment and cleaning up:

For a small amount of leakage: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders) or collect in an empty container that can be sealed tightly.

For a small amount of leakage: Use clean anti-static tools when absorbing the product.

For a large amount of leakage: Enclose with banks to avoid outflow. Lead the leakage to a safe place and collect. Remove ignition sources immediately.

Ground all equipment when the product leaks.

There is a danger of explosion. Prepare fire extinguisher in case of emergency.



Trade name: C6EPOXY

## 6.4 Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling:

Use only in well ventilated areas. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Do not handle until all safety precautions have been read and understood. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Use flame proof electric/lighting devices and ventilation equipment. Ground/bond container and receiving equipment. 7.2 Conditions for safe storage, including any incompatibilities: Storage Requirements to be met by storerooms and receptacles: Store in a cool and dry location. Prevent any seepage into the ground. Keep containers tightly sealed. Information about storage in one common storage facility: Store away from foodstuffs. See section 10 for information on incompatible materials. Further information about storage conditions: Protect from heat and direct sunlight. Store containers in a well ventilated area. Store locked up. 7.3 Specific end use(s): No further relevant information available.

# SECTION 8: Exposure controls/personal protection

**8.1 Control parameters** No further information available. **Ingredients with limit values that require monitoring at the workplace:** Not required. **Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls
Appropriate engineering controls No further data; see item 7.
Individual protection measures, such as personal protective equipment
General protective and hygienic measures:
Wash hands before breaks and at the end of work.
Do not eat or drink while working.
Keep away from tobacco products.
Respiratory protection:
Suitable respiratory protective device recommended.
Use respiratory protective device with filters for organic and acid gas (or airline respirators in some cases) if formation of toxic gases is possible while the product is heated.
Use respiratory protective device with organic gas cartridge.
Hand protection

Impervious gloves



Protective gloves

*Material of gloves:* Rubber *Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.* 

Revision: 24.03.2023

Version number 1



Trade name: C6EPOXY

Revision: 24.03.2023

Eye/face protection



Body protection: Protective work clothing

# **SECTION 9:** Physical and chemical properties

9.1 Information on basic physical and chemical proper	rties	
General Information		
Physical state	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling range	Undetermined.	
Flammability	Not applicable.	
Lower and upper explosion limit	11	
Lower explosive limit:	No further information available.	
Upper explosive limit:	Not determined.	
Flash point:	82.2 °C (COC)	
Decomposition temperature:	No further information available.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility	ivoi acici minea.	
water:	No further information available.	
Partition coefficient n-octanol/water (log value)	No further information available.	
	no juriner information available.	
Vapour pressure:	<i>No further information available.</i>	
Density and/or relative density	ivo juriner information available.	
	Not determined.	
Density: Relative density	Not determined.	
•	Not determined.	
Vapour density Particle characteristics		
r arucie characierisucs	No further information available.	
9.2 Other information:		
Form:	Liquid	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Evaporation rate	Not determined.	
Information with regard to physical hazard classes		
Explosives	Not applicable	
Flammable gases	Not applicable	
Aerosols	Not applicable	
Oxidising gases	Not applicable	
Gases under pressure	Not applicable	
Flammable liquids	Not applicable	
Flammable solids	Not applicable	
Self-reactive substances and mixtures	Not applicable	
Pyrophoric liquids	Not applicable	
Pyrophoric solids	Not applicable	
Self-heating substances and mixtures	Not applicable	
Substances and mixtures, which emit flammable gases		
in contact with water	Not applicable	
Oxidising liquids	Not applicable	
01		



Trade name: C6EPOXY

Oxidising solids Organic peroxides	<i>Not applicable</i> <i>Not applicable</i>
Corrosive to metals	Not applicable
Desensitised explosives	Not applicable

## SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
10.2 Chemical stability
Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
10.3 Possibility of hazardous reactions:
Reacts with peroxides and other radical forming substances.
No dangerous reactions known under normal conditions of use.
10.4 Conditions to avoid: Keep away from heat, sparks, flame, high temperature.
10.5 Incompatible materials: Oxidizing agents
10.6 Hazardous decomposition products:
Fluorophosgene in contact with naked flame or red hot objects.
Danger of toxic fluorine based pyrolysis products.

# SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity no data LD/LC50 values relevant for classification: Oral LD50 > 300 mg/kg (rat) Skin corrosion/irritation: No further information available. Serious eve damage/irritation: No further information available. after inhalation: No further information available. **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. **Reproductive toxicity:** Based on available data, the classification criteria are not met. STOT-single exposure: May cause respiratory irritation. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met. Other information (about experimental toxicology): No further information available. Subacute to chronic toxicity: No further information available. 11.2 Information on other hazards: Endocrine disrupting properties:

Substance is not listed.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability: This product will persist in the environment. Handle with care in case of accidental release or disposal. Other information: The product is slightly biodegradable.
12.3 Bioaccumulative potential: No further relevant information available.
12.4 Mobility in soil: No further relevant information available.
12.5 Results of PBT and vPvB assessment PBT: No further relevant information available.
vPvB: No further information available.
12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
12.7 Other adverse effects: Ecotoxical effects: no data

Revision: 24.03.2023

Version number 1



Trade name: C6EPOXY

Version number 1

Revision: 24.03.2023

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

**Recommendation:** Wear appropriate protective devices. Disposal must be made according to official regulations.

Uncleaned packaging **Recommendation:** 

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

14.1 UN number or ID number ADR, ADN, IMDG, IATA Not applicable 14.2 UN proper shipping name: Not applicable ADR, ADN, IMDG, IATA Not applicable 14.3 Transport hazard class(es): Not applicable ADR, ADN, IMDG, IATA Not applicable Class: 14.4 Packing group: Not applicable ADR. IMDG. IATA Not applicable 14.5 Environmental hazards: No Marine pollutant: 14.6 Special precautions for user: Not applicable. Stowage Category A Stowage Code SW2 Clear of living quarters. 14.7 Maritime transport in bulk according to IMO Not applicable. instruments Transport/Additional information: Avoid direct sunlight. Make sure of no damage, corrosion, leaks on the receptacles. Take necessary measures for preventing cargo shift. Not applicable

**UN "Model Regulation":** 

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Warning

Hazard-determining components of labelling: (2,2,3,3,4,4,5,5,6,6,7,7,7-tridecafluoroheptyl)oxirane Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects. **Precautionary statements** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.



Version number 1

Revision: 24.03.2023

Trade name: C6EPOXY

- P264 Wash thoroughly after handling.
- P273Avoid release to the environment.
- P280 Wear eye protection / face protection.
- *P312 Call a POISON CENTER/doctor if you feel unwell.*

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

*National regulations* No further information available. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS Department

Contact: http://www.daikin.com/

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2* 

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.