

Fluoropolymer NEOFLON EFEP RP-4020

TECHNICAL
DATASHEET

NEOFLON EFEP RP4020 is a fluoropolymer that has chemical resistance and the capability to adhere to the other materials.

Introduction

- NEOFLON EFEP RP-4020 which owns **low melting point** is a copolymer of ETFE and additional third monomer.
- Due to its low melting point, a laminated product such as a multi-layer tube and film with EVOH can be obtained by **co-extrusion molding**.
- **Hot melt adhesion to the other plastics** such as Polyamide with its reactive group.
- **Excellent process ability** and **high transparency**.
- It can be melt-molded as a thermoplastic resin by **extrusion molding, injection molding, compression molding** and the like.

General physical properties

Item	Unit	Value	Test Method
MFR	g/10min	35	265°C、49N
Melting Point	°C	160	ASTM D 3159 Compliant
Specific Gravity	-	1.74	ASTM D 729 Compliant
Tensile Strength	MPa	40	ASTM D 3159 Compliant
Elongation	%	450	ASTM D 3159 Compliant

* The above values are representative values, not guaranteed values.

Handling method / Safety information

- Be sure to read the notes on SDS and labels before use.
- This product is intended for general industry, and therefore its adequacy and safety as a raw material for medical purposes cannot be guaranteed.

Packing specification

- 50Kg

For more information, visit our website.

DAIKIN INDUSTRIES, LTD.

<https://www.daikinchemicals.com/>

tds-rp-4020-E_ver01_Mar_2018
Copyright (C) DAIKIN INDUSTRIES, LTD., 2018