

Fluoropolymer POLYFLON PTFE F-201

TECHNICAL DATASHEET

POLYFLON PTFE F-201 is a fluororesin which is suitable for forming thin tubes and electric wires.

Introduction

- Polyflon PTFE F-201 is a polytetrafluoroethylene fine powder in the form of white powder without
- Paste extrusion molding can be carried out by adding auxiliary agent. Because it has a property easily to fiberize when shear force is applied.
- A wide range of molding is possible from medium to high RR.
- It is suitable for forming thin tubes and wire coatings.

General physical properties

Items	Unit	Numeric Value	Test method
Average Particle Size	μm	530	ASTM D 4895
Bulk Density	g/L	470	ASTM D 4895
Standard Specific gravity	-	2.17	ASTM D 4895
Tensile Strength	MPa	37	ASTM D 4895
Elongation	%	480	ASTM D 4895
Melting Peak Temperature(Second)	${\mathfrak C}$	327	ASTM D 4895
Extrusion Pressure(1500:1)	MPa	70	Internal method

^{*} The above numeric values are representative and not guaranteed.

Handling method/Safety information

- Be sure to read the notes on SDS and labels before use.
- This product is intended for general industry, and therefore its adequacy and safety as a raw material for medical purposes cannot be guaranteed.

Packing specification

- 25kg

For more information, visit our website.

DAIKIN INDUSTRIES,LTD.

https://www.daikinchemicals.com/

tds-f-201-E_ver01_Mar_2018 Copyright (C) DAIKIN INDUSTRIES, LTD., 2018