

Printing date 12.05.2022 Version number 2 Revision: 12.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: <u>R-404A</u> Article number: R404A STD

1.2 Relevant identified uses of the substance or mixture and uses advised against: Refrigerant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

DAIKIN INDUSTRIES, LTD. CHEMICALS DIVISION:

Umeda Center Bldg., 4-12, Nakazaki-Nishi 2-chome, Kita-Ku, Osaka, JAPAN

Phone: (+81) 6-6373-4345 Fax: (+81) 6-6373-4281

Further information obtainable from: http://www.daikin.com/

1.4 Emergency telephone number:

Japan: +81-6-6349-7521

China: +86-512-5-232-0949, +86-21-34151689

South Korea: +82-2-568-1722

Americas: CHEMTREC +1-800-424-9300 (Outside US/Canada: +1-703-527-3887)

Europe: +49-211-179 225-0

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Press. Gas (Liq.) H280 Contains gas under pressure; may explode if heated.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

Signal word: Warning Precautionary statements:

P410+P403 Protect from sunlight. Store in a well-ventilated place.

SECTION 3: Composition/information on ingredients

Information on ingredients:

CAS: 420-46-2 1,1,1-Trifluoroethane

51.0-53.0%

Flam. Gas 1A, H220 Press. Gas (Liq.), H280

CAS: 354-33-6 Pentafluoroethane

42.0-46.0%

Press. Gas (Liq.), H280

CAS: 811-97-2 1,1,1,2-Tetrafluoroethane

2.0-6.0%

Press. Gas (Lig.), H280

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Seek immediate medical advice.

After inhalation:

Take affected persons into fresh air. Keep at rest.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult a doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

In case of emergency to rescue the victims; be sure to wear supplied-air respirator (SAR) or self-contained breathing apapratus (SCBA).



Printing date 12.05.2022 Version number 2 Revision: 12.05.2022

Trade name: R-404A

If the patient does not breathe or hardly breathes, unbutton clothes, secure the airway for breathing and perform artificial respiration.

At high levels, cardiac arrhythmia may occur.

After skin contact:

In cases of frost bites, rinse with plenty of water. Do not remove clothing.

Immediately rinse with warm water and soap.

Consult a doctor in case of complaints.

After eye contact:

Rinse opened eye for several minutes under running water.

Consult an ophthalmologist in case of complaints.

After swallowing: Not applicable.

Information for doctor:

Catecholamines such as adrenaline, and other compounds having similar effects, should be reserved for emergencies and then used only with special caution.

The examining physician should advise workers taking medications containing catecholamines that they may be at increased risk and should avoid excessive exposure.

4.2 Most important symptoms and effects, both acute and chronic:

Frost bites

High concentrations cause asphyxiation. May cause an abnormal heart rhythm and prove suddenly fatal.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable for surrounding conditions.

5.2 Special hazards arising from the substance or mixture:

Hydrogen fluoride (HF)

Formation of toxic gases is possible during heating or in case of fire.

Receptacle may explode when heated.

5.3 Advice for firefighters:

Move receptacle to a safe place immediately if possible. If not, spray water on the receptacles and surrounding equipment to cool.

If receptacle catches fire: cool them with plenty of water.

If possible, close valves of receptacles to shut off the gas supply.

Protective equipment:

Wear self-contained breathing apparatus and protective suit.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Remove persons from danger area.

Wear appropriate protective devices (See Section 8 Exposure Controls/Personal Protection).

Avoid contact with eyes and skin.

 $Do \ not \ inhale \ the \ product.$

Ensure adequate ventilation before entering the area.

Stay on the windward side.

Keep out unauthorized persons.

6.2 Environmental precautions:

Suppress gases/fumes/haze with water spray.

Must not be emitted into the environment.

6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

6.4 Reference to other sections:

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Printing date 12.05.2022 Version number 2 Revision: 12.05.2022

Trade name: R-404A

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Waste air is to be released into the atmosphere only via suitable separators.

Danger of ignition/explosion if mixed with flammable gas.

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

Stay on the windward side when working outdoors.

Be careful of leakage when attaching/detaching receptacles.

Inhaling large quantities may cause cardiac arrhythmia or asphyxiation or both.

Keep away from naked flame or metal heated over 300 - 400 $^{\circ}$ C to prevent thermal decomposition that may form toxic gases.

Do not handle until all safety precautions have been read and understood.

Information about fire - and explosion protection:

The product is not flammable.

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities:

Storage

Requirements to be met by storerooms and receptacles:

Store in a cool and dry location.

Keep containers tightly sealed.

Information about storage in one common storage facility:

See section 10 for information on incompatible materials.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store containers in a well ventilated area.

Store locked up.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters No further information available.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Do not smoke.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Keep away from tobacco products.

Respiratory protection: Use respiratory protective device with organic gas cartridge.

Hand protection



To avoid skin problems reduce the wearing of gloves to the required minimum.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Leather



Printing date 12.05.2022 Version number 2 Revision: 12.05.2022

Trade name: R-404A

Eye/face protection



Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour:ColourlessOdour:Ether-likeOdour threshold:Not determined.

Melting point/freezing point: No further information available.

Boiling point or initial boiling point and boiling range -46.7 °C **Flammability** No data.

Lower and upper explosion limit

Lower explosive limit:No further information available.Upper explosive limit:No further information available.

Flash point: Not applicable.

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature:No further information available.pHNo further information available.

Viscosity:

Kinematic viscosity

Dynamic:

Not determined.

Not determined.

Solubility

water at 25 °C: 0.070 g/100g

Partition coefficient n-octanol/water (log value)No further information available.

Vapour pressure at 25 °C: 1.25 MPa

Density and/or relative density

Density at 25 °C:1.043 g/cm³Relative densityNot determined.Vapour density3.4 g/cm³ (air=1)

9.2 Other information:

Appearance

Form:Liquefied gasExplosive properties:Not determined.Evaporation rateNot applicable.

Information with regard to physical hazard classes

ExplosivesNot applicableFlammable gasesNot applicableAerosolsNot applicableOxidising gasesNot applicable

Gases under pressure

Contains gas under pressure; may explode if heated.

Flammable liquidsNot applicableFlammable solidsNot applicableSelf-reactive substances and mixturesNot applicablePyrophoric liquidsNot applicablePyrophoric solidsNot applicableSelf-heating substances and mixturesNot applicable

Substances and mixtures, which emit flammable gases

in contact with waterNot applicableOxidising liquidsNot applicableOxidising solidsNot applicable



Printing date 12.05.2022 Version number 2 Revision: 12.05.2022

Trade name: R-404A

Organic peroxidesNot applicableCorrosive to metalsNot applicableDesensitised explosivesNot applicable

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

10.3 Possibility of hazardous reactions: No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid: Keep away from heat, sparks, flame, high temperature.

10.5 Incompatible materials: Alkali or alkaline earth metals - powdered Al, Zn, Mg, etc.

10.6 Hazardous decomposition products: Hydrofluoric acid, carbonyl fluoride

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 No futher information available.

Acute toxicity no data

LD/LC50 values relevant for classification: No further information available.

Skin corrosion/irritation No further information available.

Serious eye damage/irritation

No further information available.

No further information available.

after inhalation: No further information available.

Respiratory or skin sensitisation No further information available.

Germ cell mutagenicity In vitro tests did not show mutagenic effects.

Carcinogenicity No further information available.

Reproductive toxicity No further information available.

STOT-single exposure No further information available.

STOT-repeated exposure No further information available.

Aspiration hazard No further information available.

Other information (about experimental toxicology): No further information available.

Subacute to chronic toxicity No further information available.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability: Not easily biodegradable
Other information: The product is slightly biodegradable.

Abiotic degradation:

Air, indirect photo-oxidation Conditions: sensitizer: OH radicals

Degradation products: Carbon dioxide (CO₂) / hydrofluoric acid

Water: non-significant hydrolysis 12.3 Bioaccumulative potential:

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

12.4 Mobility in soil: No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: No further relevant information available.

vPvB: No further relevant information available.

12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

Ecotoxical effects: no data



Printing date 12.05.2022 Revision: 12.05.2022 Version number 2

Trade name: R-404A

Additional ecological information:

General notes:

Ozone depletion potential(ODP): 0(Pentafluoroethane)

Global warming potential(GWP):0.94

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation:

Disposal must be made according to official regulations. Incineration in an adequate incinerator is recommended.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA UN3337

14.2 UN proper shipping name:

ADR, IMDG, IATA REFRIGERANT GAS R 404A

14.3 Transport hazard class(es):

ADR, IMDG, IATA



2.2 Gases. Class:

14.4 Packing group:

ADR, IMDG, IATA Not applicable

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user: Not applicable. EMS Number: F-C,S-VStowage Category

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Transport/Additional information: Avoid direct sunlight. Make sure of no damage, corrosion, leaks

on the receptacles.

Take necessary measures for preventing cargo shift.

ADR

120 ml Limited quantities (LQ): Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

IMDG

120 ml Limited quantities (LQ) Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 3337 REFRIGERANT GAS R 404A, 2.2 UN "Model Regulation":

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.



Printing date 12.05.2022 Version number 2 Revision: 12.05.2022

Trade name: R-404A

Hazard pictograms



Signal word Warning

Hazard statements

H280 Contains gas under pressure; may explode if heated.

Precautionary statements

P410+P403 Protect from sunlight. Store in a well-ventilated place.

National regulations No further information available.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The product is for the industrial use only. We do not guarantee the safety in case the product is used for the other purposes. When using the product for health-care application or food/feed application, consult us in advance. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: EHS Department

Contact: http://www.daikin.com/

Version number of previous version: 1

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases – Category 1A Press. Gas (Liq.): Gases under pressure – Liquefied gas

* Data compared to the previous version altered.